

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687748547519

अनुबंध तिथि | Generated Date : 25-Nov-2025

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|---|---|
| प्ररूप Type : Central Autonomous मंत्रालय Ministry : Ministry of Science and Technology विभाग Department : Department of Scientific and Industrial Research (DSIR) संगठन का नाम Organisation Name : Council of Scientific and Industrial Research (CSIR) कार्यालय क्षेत्र Office Zone : Institute Of Genomics & Integrative Biology | पद Designation : JSA Store and Purchase संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : prasant.yadav@csir.res.in जीएसटीआईएन GSTIN : - पता Address : CSIR-Institute of Genomics & Integrative Biology, Opp. Jubilee Hall, Mall Road, Delhi, NORTH DELHI, DELHI-110007, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|--|---|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : Project leader वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Project leader | भुगतान का तरीका Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : FAO ईमेल आईडी Email ID : fao.igib@nic.in जीएसटीआईएन GSTIN : - पता Address: CSIR-IGIB, Opp. Jubilee Hall, Mall Road, Delhi, North Delhi, DELHI-110007, India |

| विक्रेता विवरण Seller Details | |
|---|---|
| जेम विक्रेता आईडी GeM Seller ID : | 0B85180000481398 |
| कंपनी का नाम Company Name : | MTOR Life Sciences Pvt. Ltd. |
| संपर्क नंबर Contact No. : | 09560668168 |
| ईमेल आईडी Email ID : | sales@mtorlifesciences.com |
| पता Address : | Plot No 878 Khasra No 16,Nangli Sakrawati,Najafgarh,Hari Om Properties, South West delhi, DELHI-110043, - |
| एमएसएमई पंजीकरण संख्या MSME Registration number : | - |
| जीएसटीआईएन GSTIN: | 07AALCM4035F1ZK (R) |

*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|--|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : Thermo Scientific 501-550 L Ultra low temperature laboratory deep freezer ब्रांड Brand : Thermo Scientific ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Ultra low temperature laboratory deep freezer (Q3) मॉडल Model: TDE40086FV एचएसएन कोड HSN Code: HSN not specified by seller | 1 | pieces | 969,960 | NA | 969,960 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 969,960 |

| परोक्षिती विवरण Consignee Detail | | | | | | |
|------------------------------------|---|---------------------------------------|--------------------|-------------------|---|--|
| क्र.सं. S.No | परोक्षिती Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| 1 | पद Designation : Store and Purchase JSA ईमेल आईडी Email ID : raj.prajapati@csir.res.in संपर्क Contact : - जीएसटीआईएन GSTIN : - | Thermo Scientific 501-550 L Ultra low | - | 1 | 25-Nov-2025 | 29-Jan-2026 |

पता | Address : CSIR-Institute of Genomics & Integrative Biology, Opp.
Jubilee Hall, Mall Road, Delhi,
NORTH DELHI, DELHI-110007, India

temperature laboratory
deep freezer

Product Specification for Thermo Scientific 501-550 L Ultra low temperature laboratory deep freezer

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|---|---|--|
| Standards | Conformity to Standards | CE (with 4 digit notified number) |
| | Certification number and date | NA |
| | Conformity to standard conforms to standards IEC- 61010 for electrical safety latest amendment | Yes |
| Performance Parameters | Purpose | Used for storage of various samples , sensitive stem cells, plasma , semen , virus, bone graft and other biological samples |
| | Capacity in liters | 501-550 L |
| | Freezer body | Freezer should have galvanised steel body with tough powder coated exterior finish constructed on steel |
| | Material of inside chamber | SS |
| | Type of Cabinet | Vertical |
| | Ground clearance in mm | 100 mm |
| | Should have heavy duty lockable castors and levelling for adjustments and installation | No |
| | Refrigerants | HFC Free, CFC Free, HCFC FREE green Refrigerants |
| | Refrigeration system must be energy efficient with pull down time in hrs | less than 5.5 hr |
| | Operating Temperature with 1° C increment | -50°C to -86°C |
| | Freezer must attain -80°C while operating at ambient temperature of 32°C | Yes |
| | Number of holding racks | 0 |
| | Control system | Fully programmable microprocessor controlled with membrane keypad and eye level control panel |
| | Number of inner storage compartments with insulated doors and adjustable height | 4 |
| | Freezer should have heated air vent and easily accessible front panel air filter | Yes |
| | Digital temperature display | Yes |
| | Should have battery back up for the display and security lock for the display | Yes |
| | Alarms | Alarms for audible and visible alarm system for unwanted temperature rise, sudden power failure , system failure and battery low |
| | Noise level in dB | 52 |
| | Energy consumption rate (@KWh/day) | 8.2 |
| | Stabilizer should be capable to run any voltage between 190V - 270 V | Yes |
| | Double door with locking lids | Yes |
| | Availability of decompression valve facility to lower air pressure inside freezer for easy door opening | Yes |
| | Panels | Vacuum polyurethane foam panels |
| | Number of compressor | 2 |
| | Temperature uniformity | ±3°C or less |
| | Temperature stability of system | ±3°C |
| Warranty of Stabilizer in Years | 1 | |
| Warranty of Freezer (except compressor) in Years (from the date of installation) | 3 | |
| Warranty of compressor in years | 5 | |
| Vacuum insulation panel | Yes | |
| Freezer must have washable condenser filter indicator which should keep fins free of dust to maintain peak cooling efficiency | Yes | |
| One 5KVA servo stabilizer to be supplied with freezer | Yes | |

| | | |
|-----------------------|--|------------------------------|
| Additional Parameters | CO2 cylinder should be supplied with freezer for backup | NA |
| | Number of corrosion resistant racks | 2 |
| | Pairs of Cryogloves to be provided | 1 |
| | Number of Ice scraper to be provided | 2 |
| | Tempearture Chart recorder to be provided | No |
| | Availability of USB port to download event log and freezer setting | Yes |
| Reports | Manufacturer should have ISO certification | Yes |
| | ISO certification date and number | CERT-0123134 dtd. 26.02.2018 |
| | Copies of all certifications and reports to be provided to buyer on demand at time of supplies | Yes |

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 11-11-2022

1.1

- Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled.Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
- Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
- Software:** All software updates should be provided free of cost during warranty period.
- Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing,

and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.