

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687753689354

अनुबंध तिथि | Generated Date : 04-Sep-2025

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central Autonomous मंत्रालय   Ministry : Ministry of Science and Technology विभाग   Department : Department of Scientific and Industrial Research (DSIR) संगठन का नाम   Organisation Name : Council of Scientific and Industrial Research (CSIR) कार्यालय क्षेत्र   Office Zone : Institute Of Genomics & Integrative Biology	पद   Designation : ASO संपर्क नंबर   Contact No. : 011-35659895- ईमेल आईडी   Email ID : khazan.igib@nic.in जीएसटीआईएन   GSTIN : 07AAATC2716R4ZE CSIR-Institute of Genomics & Integrative Biology, Opp. पता   Address : Jubilee Hall, Mall Road, Delhi, NORTH DELHI, DELHI-110007, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : PROJECT LEADER वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : PROJECT LEADER	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : FAO ईमेल आईडी   Email ID : fao.igib@nic.in जीएसटीआईएन   GSTIN : - CSIR-IGIB, Opp. Jubilee Hall, Mall Road, Delhi, पता   Address: North Delhi, DELHI-110007, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 02CA180000328725 कंपनी का नाम   Company Name : HELIX BIOSCIENCES संपर्क नंबर   Contact No. : 09999062420 ईमेल आईडी   Email ID : gemsupport@helixbiosciences.com पता   Address : A-7,Naraina Industrial Area,Phase 1,Delhi, South West, DELHI-110028, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-DL-11-0005236 जीएसटीआईएन   GSTIN: 07AIPPJ3861R1ZE (R) , (G) , (M) एमएसई सामाजिक श्रेणी   MSE Social Category : OBC एमएसई लिंग श्रेणी   MSE Gender : Female

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : LEICA Rotary Microtome with Soft touch Screen display ब्रांड   Brand : LEICA ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Rotary Microtome (Q3) मॉडल   Model: Leica RM2125 RTS एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	960,000	NA	960,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						960,000

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : ASO Jagan ईमेल आईडी   Email ID : jagan.igib@nic.in संपर्क   Contact : 011-27662099- जीएसटीआईएन   GSTIN : -	LEICA Rotary Microtome with Soft touch Screen	-	1	04-Sep-2025	19-Sep-2025

पता | Address : CSIR-IGIB, Mathura Road, Opp. Sukhdev Vihar Bus Depot, New Delhi, South Delhi, DELHI-110025, India

display

### Product Specification for LEICA Rotary Microtome with Soft touch Screen display

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Standards	Conformity to Standards	US FDA
	Certification number and date	8010 25/11/2019
	Conformity to Manufacturing Standards	ISO 13485, 9001
Performance Parameters	Purpose	Sectioning of organic tissue into thin sections for microscopic examination of specimens
	Type of Microtome	Semi automatic rotary microtome
	Section thickness in $\mu\text{m}$	1-100 $\mu\text{m}$
	Section thickness increment range in $\mu\text{m}$	0.5 to 100 micron, Increments 0.5 $\mu\text{m}$ from 0.5 $\mu\text{m}$ - 2.0 $\mu\text{m}$ , Increment 1.0 $\mu\text{m}$ from 2.0 $\mu\text{m}$ - 10 $\mu\text{m}$ , Increment 2.0 $\mu\text{m}$ from 10 $\mu\text{m}$ - 50 $\mu\text{m}$ , Increment 5.0 $\mu\text{m}$ from 50 $\mu\text{m}$ - 100 $\mu\text{m}$
	Mechanism	Motorized fed mechanism with manual cutting options
	No of electronic cutting option	3
	Integrated lockable hand wheel capable of being locked in any desired position	Yes
	Rotation of wheel can be both clockwise and anti-clockwise	Yes
	Type of blocks which can be cut	Both paraffin and epoxy resin blocks
	Length of vertical stroke in mm	60mm for small standard clamp
	Horizontal specimen feed in mm	25
	Specimen orientation facility in degree (through X and Y axis)	8°
	Specimen holder design	both with directional specimen holder fixture
	Availability of Specimen retraction with provision of On/Off switching	Yes
	Type of blade holder	Disposable blade holder with integrated with Knife angle position locking & Lateral Displacement facility & safety finger protection guard
	Material of blade	SS
	Type of disposable blade	Both high profile and low profile
	Number of packet of disposable blades (50 blades in 1 packet)	2 pkt
	Knife holder to be supplied	Yes
	Weight of the machine in kg	33
	Lubricant machine oil bottle to be supplied	Yes
	Handwheel Lock / Brake	1 Mechanical Locks, 1 Electronic Brake
	Emergency brake for user safety	Yes for fully automatic microtome
	Display	Soft touch Screen display
	Functions of display	Complete function of automatic sectioning, Fast trimming and Slice counting, section thickness, trimming thickness, sum remaining travel of specimen feed and date information
	Trimming Thickness range	"1 micron - 600 micron, Increments 1 $\mu\text{m}$ from 1 $\mu\text{m}$ - 20.0 $\mu\text{m}$ , Increment 2.0 $\mu\text{m}$ from 20.0 $\mu\text{m}$ - 50 $\mu\text{m}$ , Increment 5.0 $\mu\text{m}$ from 50 $\mu\text{m}$ - 100 $\mu\text{m}$ , Increment 10.0 $\mu\text{m}$ from 100 $\mu\text{m}$ - 600 $\mu\text{m}$ "
	Motorized Coarse feed	in two speeds :300 mm/sec & 900 mm/sec
Cutting speed	Manual sectioning in case of Semi automatic microtome	
Specimen Retraction	"In Manual Sectioning Mode: 5 - 100 $\mu\text{m}$ (in 5 $\mu\text{m}$ increments); can be turned off , In Motorized Sectioning Mode: Speed-Dependent; can be turned off"	
Relative Humidity During Operation	20% to Max. 80% Non-Condensing	
Ambient operating Temperature range in Degree centigrade celcius and humidity range	10 to +30°C	
Section waste tray,dust cover ,brush cleaning cloth	Yes	
Instruction manual to be supplied with the item	Yes	
Power supply	220 V, 50 Hz AC , Single phase	

	Power cord ,fuse and allen key set to be supplied with the item	Yes
	The Equipment shall be installed and demonstrated before Acceptance installation and demonstration	Yes
	Details of service centres, contact numbers and email ids to be furnished at the time of making the supplies to the buyer/consignee	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1
Reports	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

## ईपीबीजी विवरण | ePBG Detail

NA

## नियम और शर्तें | Terms and Conditions

### 1. Special terms and conditions- Version:2 effective from 07-11-2023

#### 1.1 1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

#### 2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

#### 3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

**4. Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

#### 5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

#### 6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

#### 7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

#### 8. Software:

All software updates should be provided free of cost during warranty period.

### 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.