

1611B/2-TNC/505/24-25 (1923) / 1232

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687741472557

अनुबंध तिथि | Generated Date : 13-Feb-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्रकार Type :	Central Autonomous	पद Designation :	ASO			
मंत्रालय Ministry :	Ministry of Science and Technology	संपर्क नंबर Contact No. :	011-35659895-			
विभाग Department :	Department of Scientific and Industrial Research (DSIR)	ईमेल आईडी Email ID :	khazan.igib@nic.in			
संगठन का नाम Organisation Name :	Council of Scientific and Industrial Research (CSIR)	जीएसटीआईएन GSTIN :	07AAATC2716R4ZE			
कार्यालय क्षेत्र Office Zone :	Institute Of Genomics & Integrative Biology	पता Address :	CSIR-Institute of Genomics & Integrative Biology, Opp. Jubilee Hall, Mall Road, Delhi, NORTH DELHI, DELHI-110007, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	project leader	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval:	project leader	पद Designation :	FAO			
		ईमेल आईडी Email ID :	fao.igib@nic.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	CSIR-IGIB, Opp. Jubilee Hall, Mall Road, Delhi, North Delhi, DELHI-110007, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	0B85180000481398					
कंपनी का नाम Company Name :	MTOR Life Sciences Pvt. Ltd.					
संपर्क नंबर Contact No. :	09560668168					
ईमेल आईडी Email ID :	sales@mtorlifesciences.com					
पता Address :	A-18 Ground Floor, INDRA PARK, NAJAFGARH, NEW DELHI, South West Delhi, Near Sai Baba Mandir, South West delhi, DELHI-110043, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	06AALCM4035F1ZM (B), 07AALCM4035F1ZK (R)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Thermo Scientific TFT Display Interface PCR Machine (Semi Quantitative) ब्रांड Brand : Thermo Scientific ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : PCR Machine (Semi Quantitative) (Q3) मॉडल Model: (A48141) एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	449,999	NA	449,999
कुल ऑर्डर मूल्य Total Order Value (in INR)						449,999
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : ASO ARUN ईमेल आईडी Email ID : ak.sharma.igib@nic.in संपर्क Contact : 011-27002273-273 जीएसटीआईएन GSTIN : 07AAATC2716R4ZE पता Address : CSIR-Institute of Genomics & Integrative Biology, Opp.	Thermo Scientific TFT Display Interface PCR Machine (Semi	-	1	13-Feb-2025	28-Feb-2025

Product Specification for Thermo Scientific TFT Display Interface PCR Machine (Semi Quantitative)

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Certification for product	CE
	Certification date and number	EN6101020812015; dated 17 March 2017
	Availability of ISO with manufacturer	Yes
	ISO Certification No, Date and validity, If ISO certification not available put NA	FM587464 06-07-2012 AND 24-03-2021
Performance Parameters	Purpose	PCR is a laboratory technique used to amplify segments of DNA via the Polymerase Chain Reaction
	Compatibility of Reagent	Open
	Display Interface	TFT
	Block Format	Fixed
	Capacity of Blocks	0.2ml x 1x96well
	Maximum Heating Ramp rate in degree cycle per second	>= 6° C/S
	Maximum Cooling Ramp rate in degree cycle per second	4° C/S
	Adjustable heating/cooling Ramp Rate	Yes
	Operating Temperature range °C	10 to 100 °C
	Temperature setting accuracy in °C	±0.3 °C
	Well to well temperature uniformity in °C	±0.4 °C
	Gradient Range in °C	30 - 100°C
	Gradient Spread in °C	1-30°C
	Hot Lid Temperature	30-110°C
	Input supply	Single phase (230 V, 50 Hz)
	Max No of Programmable Steps	40
	Max No of Programmable Cycles	Upto 100
	Availability of USB ports	2
	Memory to store programs	upto 1000
	Pause/Start function	Yes
Built-in Tm Calculator,	Yes	
Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	2	
Compatible to be used with PC	Yes	
Providing Online UPS	Yes	
Battery backup of UPS in hrs	NA if not provided	
Additional Parameters	Instruction manual to be provided	Yes
	Touch Screen of display should be responsive for both gloved and ungloved fingers	Yes
	Auto restart after power outages	Yes
	Boot up time	Not more than 1 min
Reports	Availability of test report from central govt/NABL/ILAC accredited lab to prove conformity to specification indicated including safety requirements	No
	Test report number if no test report provided put Na	NA
	Test report date if no test report provided put NA	NA
	Name and address of the lab if no test report provided put NA	NA
	Copies of Certifications of manufacturer, Certificates from manufacturers for bought out components and material test certificates to be submitted to Buyer on demand after placement of order	NA

नियम और शर्त | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-11-2022

- 1.1
 1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 11. Software: All software updates should be provided free of cost during warranty period.
 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in *STC/GTC*, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. *ATC* shall supersede specific *STC* which shall supersede General Terms and Conditions ("*GTC*"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.